

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)							
	千瓦 kw	m ³ /h	1.0	1.2	1.6	2.0	2.4	2.8	3.2
KQCDLF2-20	0.37	扬程 H (m)	18	17	16	15	14	12	10
KQCDLF2-30	0.37		27	26	24	22	20	18	15
KQCDLF2-40	0.55		36	35	33	30	26	24	17
KQCDLF2-50	0.55		45	43	40	37	33	30	24
KQCDLF2-60	0.75		53	52	50	45	40	36	30
KQCDLF2-70	0.75		63	61	57	52	47	41	35
KQCDLF2-80	1.1		71	69	65	59	54	47	40
KQCDLF2-90	1.1		80	78	73	67	61	54	45
KQCDLF2-100	1.1		89	86	81	74	67	59	49
KQCDLF2-110	1.1		98	95	89	82	73	64	54
KQCDLF2-120	1.5		107	103	97	90	81	71	59
KQCDLF2-130	1.5		116	114	106	98	89	78	65
KQCDLF2-140	1.5		125	122	114	105	94	84	69
KQCDLF2-150	1.5		134	130	123	112	100	90	73
KQCDLF2-160	2.2		143	139	131	120	107	96	80
KQCDLF2-170	2.2		152	148	139	128	114	102	86
KQCDLF2-180	2.2		161	157	148	136	121	108	91
KQCDLF2-190	2.2		170	165	156	143	127	113	95
KQCDLF2-200	2.2		179	174	164	150	134	119	100
KQCDLF2-210	2.2		188	183	172	157	141	124	105
KQCDLF2-220	2.2		197	192	180	165	148	130	110
KQCDLF2-230	3.0		205	201	188	173	155	137	115
KQCDLF2-240	3.0		214	210	197	181	163	144	120
KQCDLF2-250	3.0		225	219	205	189	170	151	127
KQCDLF2-260	3.0		234	228	214	198	178	158	132

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)						
	千瓦 kw	m ³ /h	2.0	3.0	4.0	5.0	6.0	7.0
KQCDLF4-20	0.37	扬程 H (m)	18	17	15	13	10	8
KQCDLF4-30	0.55		27	26	24	20	18	14
KQCDLF4-40	0.75		36	34	32	27	24	18
KQCDLF4-50	1.1		45	43	40	34	31	23
KQCDLF4-60	1.1		54	52	48	41	37	28
KQCDLF4-70	1.5		63	61	56	48	43	34
KQCDLF4-80	1.5		72	70	64	55	50	38
KQCDLF4-90	2.2		81	78	72	63	56	44
KQCDLF4-100	2.2		90	87	81	71	62	50
KQCDLF4-110	2.2		99	95	88	78	68	53
KQCDLF4-120	2.2		108	104	95	85	75	57
KQCDLF4-130	3.0		117	113	103	93	82	63
KQCDLF4-140	3.0		126	122	112	101	89	69
KQCDLF4-150	3.0		135	131	120	108	95	73
KQCDLF4-160	3.0		144	140	129	115	101	78
KQCDLF4-170	4.0		153	149	137	122	108	83
KQCDLF4-180	4.0		162	158	145	129	115	89
KQCDLF4-190	4.0		171	168	153	137	122	95
KQCDLF4-200	4.0		180	176	161	144	127	99
KQCDLF4-210	4.0		190	184	169	152	132	103
KQCDLF4-220	4.0		200	192	178	160	138	108

KQCDFL 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)							
	千瓦 kw	m ³ /h	6	7	8	9	10	11	12
KQCDFL8-20	0.75	扬程 H (m)	20	19	18	17	16	14	13
KQCDFL8-30	1.1		30	29	28	26	24	21	19
KQCDFL8-40	1.5		40	38	36	34	32	28	26
KQCDFL8-50	2.2		50	48	45	42	40	36	32
KQCDFL8-60	2.2		60	57	54	51	48	43	39
KQCDFL8-70	3.0		70	68	64	61	57	50	45
KQCDFL8-80	3.0		80	77	73	69	65	58	52
KQCDFL8-90	4.0		90	87	83	79	72	66	60
KQCDFL8-100	4.0		100	97	92	87	81	73	65
KQCDFL8-110	4.0		110	106	101	96	88	80	72
KQCDFL8-120	4.0		120	116	111	104	92	87	78
KQCDFL8-130	5.5		130	126	119	114	105	95	84
KQCDFL8-140	5.5		141	136	130	122	113	102	92
KQCDFL8-150	5.5		150	145	138	131	121	111	100
KQCDFL8-160	5.5		161	156	148	139	130	118	106
KQCDFL8-170	7.5		170	165	156	149	138	126	113
KQCDFL8-180	7.5		182	175	167	157	146	134	120
KQCDFL8-190	7.5		190	184	175	166	154	142	128
KQCDFL8-200	7.5		202	195	186	175	163	150	135

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)							
	千瓦 kw	m ³ /h	8	10	12	14	16	18	20
KQCDLF16-20	2.2	扬程 H (m)	28	27	26	25	23	21	18
KQCDLF16-30	3.0		42	41	39	37	35	32	27
KQCDLF16-40	4.0		56	54	52	50	47	44	37
KQCDLF16-50	5.5		69	68	65	62	59	54	47
KQCDLF16-60	5.5		83	81	78	75	70	64	56
KQCDLF16-70	7.5		97	95	92	87	82	75	68
KQCDLF16-80	7.5		111	108	105	100	94	86	77
KQCDLF16-90	11		125	122	118	112	106	97	88
KQCDLF16-100	11		139	136	131	125	118	108	99
KQCDLF16-110	11		153	149	144	137	129	118	108
KQCDLF16-120	11		167	163	157	150	141	129	117
KQCDLF16-130	15		180	176	170	162	153	141	128
KQCDLF16-140	15		194	190	184	175	165	151	139
KQCDLF16-150	15		208	203	197	187	177	162	148
KQCDLF16-160	15		222	217	210	200	189	173	158

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)							
	千瓦 kw	m ³ /h	16	20	24	28	32	36	40
KQCDLF32-10-1	1.5	扬程 H (m)	14	13	12	11	9	7	4
KQCDLF32-10	2.2		18	17	15	14	13	11	8
KQCDLF32-20-1	3.0		29	28	26	23	20	16	11
KQCDLF32-20	4.0		36	34	32	29	27	23	18
KQCDLF32-30-1	5.5		47	44	41	38	33	28	21
KQCDLF32-30	5.5		54	51	48	44	40	35	27
KQCDLF32-40-1	7.5		65	62	58	53	46	40	30
KQCDLF32-40	7.5		72	69	65	59	53	47	37
KQCDLF32-50-1	11		83	79	74	68	60	52	41
KQCDLF32-50	11		90	86	81	74	67	59	47
KQCDLF32-60-1	11		101	97	90	83	74	65	51
KQCDLF32-60	11		108	104	97	90	81	72	57
KQCDLF32-70-1	15		119	114	107	98	88	78	60
KQCDLF32-70	15		126	121	113	105	95	85	67
KQCDLF32-80-1	15		136	131	123	114	102	90	71
KQCDLF32-80	15		144	138	130	120	109	97	77
KQCDLF32-90-1	18.5		154	148	140	129	117	102	82
KQCDLF32-90	18.5		162	156	147	136	124	109	88
KQCDLF32-100-1	18.5		175	166	157	146	131	115	91
KQCDLF32-100	18.5		182	173	164	152	138	122	98
KQCDLF32-110-1	22		193	184	173	164	146	128	102
KQCDLF32-110	22		200	191	180	168	153	135	109
KQCDLF32-120-1	22		211	201	189	178	160	140	113
KQCDLF32-120	22		218	208	196	184	167	147	120
KQCDLF32-130-1	30		230	218	206	193	174	153	124
KQCDLF32-130	30		237	225	213	200	181	160	131
KQCDLF32-140-1	30		247	235	222	210	189	165	135
KQCDLF32-140	30		255	242	229	216	196	172	142

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)								
	千瓦 kw	m ³ /h	25	30	35	40	42	45	50	55
KQCDLF42-10-1	3.0	扬程 H (m)	20	19	18	17	16	15	13	11
KQCDLF42-10	4.0		24	23	22	21	20	19	18	16
KQCDLF42-20-1	5.5		40	38	36	33	32	30	27	23
KQCDLF42-20	7.5		48	46	44	42	41	39	35	31
KQCDLF42-30-1	11		63	61	58	54	52	50	44	38
KQCDLF42-30	11		71	69	66	63	61	58	53	47
KQCDLF42-40-1	15		87	84	80	75	73	69	62	54
KQCDLF42-40	15		95	92	88	84	81	78	71	62
KQCDLF42-50-1	18.5		111	107	102	96	93	88	80	69
KQCDLF42-50	18.5		119	115	110	105	101	97	88	78
KQCDLF42-60-1	22		135	130	124	117	113	108	97	85
KQCDLF42-60	22		143	138	132	125	122	116	106	93
KQCDLF42-70-1	30		158	152	146	138	134	127	115	100
KQCDLF42-70	30		166	161	154	146	142	135	124	109
KQCDLF42-80-1	30		182	175	168	159	154	146	133	116
KQCDLF42-80	30		190	184	176	167	162	154	141	124
KQCDLF42-90-1	30		205	198	190	180	174	166	150	132
KQCDLF42-90	37		214	207	198	188	183	174	159	140
KQCDLF42-100-1	37		230	221	212	200	194	185	168	147
KQCDLF42-100	37		238	230	220	209	203	193	177	155
KQCDLF42-110-1	45		255	246	236	223	217	206	188	165
KQCDLF42-110	45		263	255	244	232	225	214	196	173
KQCDLF42-120-1	45		280	270	259	245	238	226	206	181
KQCDLF42-120	45		289	280	268	255	247	236	216	190
KQCDLF42-130	45	305	294	282	267	259	247	225	198	

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)							
	千瓦 kw	m ³ /h	30	40	50	60	65	70	80
KQCDLF65-10-1	4.0	扬程 H (m)	19	18	16	14	13	11	8
KQCDLF65-10	5.5		27	25	23	21	20	18	15
KQCDLF65-20-2	7.5		39	36	33	29	26	23	17
KQCDLF65-20-1	11		46	44	40	36	33	30	24
KQCDLF65-20	11		53	51	47	43	40	37	30
KQCDLF65-30-2	15		66	62	56	50	46	41	32
KQCDLF65-30-1	15		73	69	63	57	53	48	39
KQCDLF65-30	18.5		80	76	70	64	60	55	46
KQCDLF65-40-2	18.5		92	87	80	71	66	60	47
KQCDLF65-40-1	22		100	94	87	78	73	67	54
KQCDLF65-40	22		107	101	94	85	80	74	61
KQCDLF65-50-2	30		121	114	105	95	88	80	64
KQCDLF65-50-1	30		128	121	112	102	95	87	71
KQCDLF65-50	30		136	129	119	109	102	94	78
KQCDLF65-60-2	30		150	142	131	118	110	101	81
KQCDLF65-60-1	37		157	149	138	125	117	108	88
KQCDLF65-60	37		164	156	145	132	124	115	95
KQCDLF65-70-2	37		179	169	156	141	132	121	99
KQCDLF65-70-1	37		186	176	163	148	139	128	106
KQCDLF65-70	45		193	183	170	155	146	135	112
KQCDLF65-80-2	45	207	196	182	164	154	142	116	
KQCDLF65-80-1	45	215	203	189	171	161	149	123	

KQCDFL 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)								
	千瓦 kw	m ³ /h	50	60	70	80	85	90	100	110
KQCDFL85-10-1	5.5	扬程 H (m)	22	19	17	166	14	13	10	6
KQCDFL85-10	7.5		25	24	22	21	20	19	16	12
KQCDFL85-20-1	11		41	39	36	32	30	28	22	15
KQCDFL85-20	15		53	50	47	44	41	40	36	30
KQCDFL85-30-1	18.5		68	65	60	55	52	49	41	32
KQCDFL85-30	22		81	77	72	67	64	62	55	48
KQCDFL85-40-1	30		98	93	87	80	75	72	62	50
KQCDFL85-40	30		110	105	100	92	86	84	76	66
KQCDFL85-50-1	37		126	120	113	104	98	93	81	68
KQCDFL85-50	37		139	131	124	115	110	106	94	83
KQCDFL85-60-1	45		155	148	139	129	11	117	102	86
KQCDFL85-60	45		168	160	150	141	134	130	117	103

KQCDF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)										
	千瓦 kw	m ³ /h	60	70	80	90	100	110	120	130	140	150
KQCDF120-10	11	扬程 H (m)	22	21.8	21.6	21	20.5	19.5	18	17	16	15
KQCDF120-20-2	15		34	33.6	33	31	30.2	30	28	27	25	24
KQCDF120-20-1	18.5		41	40	39.5	38.5	37	36.5	35	32.5	30	27.5
KQCDF120-20	22		46	15	44.5	43.5	42.4	41	40	38	36	33.5
KQCDF120-30-2	30		57	56	55	53.5	52	51	49	46.5	43.5	41
KQCDF120-30-1	30		64	63	62	60	58.5	57.5	56	52	49	46
KQCDF120-30	30		69.5	68.5	67.5	66	64.4	62.5	61	57.5	54.5	51
KQCDF120-40-2	37		80.5	79	78	76	73.5	72	69	66	61.5	58
KQCDF120-40-1	37		87	86	84.5	82	80	78	76	72	68	64.5
KQCDF120-40	45		92.5	91	90	88	85.5	83	81	77	73	68.5
KQCDF120-50-2	45		104.5	103	101	99	96	93	90	85.5	80.5	75.5
KQCDF120-50-1	45		110.5	109	107.5	105	102	100	97	92	86.5	83
KQCDF120-50	55		115.5	114	113	110	107.5	104.5	102	96	91	86
KQCDF120-60-2	55		128	125.5	123	121	117.3	113.5	110	104.5	98.5	92.5
KQCDF120-60-1	55		134	132	130.5	127	124	121	119	111	105	100
KQCDF120-60	75		139	137	135	132	128.8	126	126	116	110	104
KQCDF120-70-2	75		151	148	145.5	143	138.6	134	130	123.5	116.5	109
KQCDF120-70-1	75		156.5	154	152	148.5	144.5	141	138	130	123	116.5
KQCDF120-70	75		162.5	160.5	158.5	155	155	148	145	137	129	123

KQCDFL 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)											
	千瓦 kw	m ³ /h	80	90	100	110	120	130	140	150	160	170	180
KQCDFL150-10-1	11	扬程 H (m)	18.3	17.8	17.3	17	16	15	14	13	11	10	8.5
KQCDFL150-10	15		24	23	22.5	22	21.5	20.5	20	19	17	16	15
KQCDFL150-20-2	18.5		37	35.5	34	33	32	31	29	28	26	23	21
KQCDFL150-20-1	22		44.3	43	42	40	39	38.5	37.5	35	33	30	27
KQCDFL150-20	30		50	49	48	47	45.5	44	42	40	37	34	32
KQCDFL150-30-2	30		63.5	61	59	57.5	56	54.5	53	49	45.5	42	39
KQCDFL150-30-1	37		70	68	67	65	63	62	60	56	53	49	45
KQCDFL150-30	37		78	76.5	75	73	70.5	68	66	63	59	55	50.5
KQCDFL150-40-2	45		89	87	84	81.5	79	77	74.5	71	65.5	60	56
KQCDFL150-40-1	45		96.5	94	91.5	89	86.5	84	81.5	77	72.5	67	62
KQCDFL150-40	55		104	102	100	97	95	91	88	84	79.8	74	68
KQCDFL150-50-2	55		115.5	112	109	106	102.5	100	97	92	86	79	73.5
KQCDFL150-50-1	75		122.5	119.5	117	113.5	111.5	107.5	104.5	99	93.5	87	80
KQCDFL150-50	75		130	127.5	125	121	119	115	111.5	107	101	94.5	86.5
KQCDFL150-60-2	75		140	137	133	130	126	121	118	112	106	98	91
KQCDFL150-60-1	75		148.5	145	141.7	137.5	135	131	127	121	114.5	106.5	97.5
KQCDFL150-60	75	157	153	149	145	142	139.5	137	130	123.5	116	109	

KQCDLF 系列立式多级离心泵参数表

型号	电机功率	流量 Q (转速 n≈2900)								
	千瓦 kw	m ³ /h	80	90	100	110	120	130	140	150
KQCDLF200-10-B	18.5	扬程 H (m)	25.5	25	24	23	21.5	20	18	15.5
KQCDLF200-10-A	22		29	28.5	27.5	26.5	25.5	24	22	20
KQCDLF200-10	30		38.5	38	37.5	36.5	35	34	32.5	30
KQCDLF200-20-2B	37		53	51	49	47	44	41	37	32
KQCDLF200-20-2A	45		59.5	58	56	54	52.5	49	44.5	40.5
KQCDLF200-20-A	55		69	68	66	64	62	59	55.5	51
KQCDLF200-20	55		78.5	77.5	76	74	71.5	69	66	61.5
KQCDLF200-30-2B	75		91.5	89	86.5	83.5	79	75	70	63
KQCDLF200-30-A-B	75		95	93	90	87	83.5	79	73.5	67
KQCDLF200-30-2A	75		99.5	97.5	94.5	91.5	89	84	78.5	72
KQCDLF200-30-B	75		104.5	102.5	100	97	93	89	84.5	77.5
KQCDLF200-30-A	75		108	106	103.5	100.5	97.5	93	88	81.5
KQCDLF200-30	90		117.5	116	113.5	110.5	107	103	99	92
KQCDLF200-40-2B	90		131.5	129	125.5	121	115.5	110	103.5	94
KQCDLF200-40-2A	110		138.5	136	132	128	124	118	111	102.5
KQCDLF200-40-A	110		148	145.5	142.5	138	134	128	122	113
KQCDLF200-40	110	157.5	155.5	152.5	148	143.5	138	132.5	123.5	